



# NAVARA SINGLE CAB





# A PICKUP BUILT OF MORE AND READY TO WORK



ELECTRONIC BRAKE  
FORCE DISTRIBUTION  
(EBD) WITH  
BRAKING ASSIST (BA)



VEHICLE DYNAMIC  
CONTROL (VDC)\*




TRAILER STABILITY  
ASSIST (TSA)\*



## Durable meets Practical

The all-capable Nissan Navara Single Cab range is an evolutionary leap forward in workhorse pickup standards. Expect dynamic styling, ergonomic interior conveniences, comfort and driver safety technology in a package that proudly delivers on the legacy of more than 85 years of proven LCV heritage, in Africa.



## THE POWER TO KEEP MOVING FORWARD

Africa-proven Navara petrol and diesel engines have been tried and tested to offer maximum performance and durability, whilst maintaining efficient running costs and legendary reliability you can trust.



## BUILT FOR AFRICA. BUILT TO DO MORE.

With structural durability improvements made for the toughest working conditions, the Navara Single Cab range boasts high tensile steel body construction with additional reinforcements throughout. Suspension and chassis have been locally tested to exceed the demands of the harshest African road conditions.



## BEST IN-CLASS LOADING CAPACITY

Nissan Navara Single Cabs arrive ready to work with a world class load capacity of up to 1182KG\*. Then, unique side steps add every day practicality for easy load box access.



## SAFETY AND SECURITY AS A PRIORITY

Navara Single Cabs offer driver and passenger airbags as standard, with additional side curtain and driver knee airbags for additional protection.\*

\*AVAILABLE ON SELECTED SINGLE CAB MODELS. PLEASE CONTACT YOUR LOCAL NISSAN DEALERSHIP FOR MORE INFORMATION.



Nissan Navara - 2 & 4 Wheel Drive

Specifications & Features

| MODEL - Single Cab                |         | 2.5 XE 4X2 MT                            | 2.5 XE Plus 4X2 MT                       | 2.5D XE 4X2 MT                           | 2.5D XE Plus 4X2 MT                      | 2.5D XE 4X4 MT                           | 2.5D XE Plus 4X4 MT                      |
|-----------------------------------|---------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|
| ENGINE                            |         |                                          |                                          |                                          |                                          |                                          |                                          |
| Engine                            |         | 2.5i Low Output                          | 2.5i Low Output                          | 2.5D Mid Output                          | 2.5D Mid Output                          | 2.5D Mid Output                          | 2.5D Mid Output                          |
| Displacement                      | cc      | 2488                                     | 2488                                     | 2488                                     | 2488                                     | 2488                                     | 2488                                     |
| Number of Cylinders               |         | 4                                        | 4                                        | 4                                        | 4                                        | 4                                        | 4                                        |
| Bore and Stroke                   | mm      | 89.0 x 100.0                             | 89.0 x 100.0                             | 89.0 x 100.0                             | 89.0 x 100.0                             | 89.0 x 100.0                             | 89.0 x 100.0                             |
| Maximum Power                     | kw/rpm  | 118/6000                                 | 118/6000                                 | 120/3600                                 | 120/3600                                 | 120/3600                                 | 140/3600                                 |
| Maximum Torque                    | Nm/rpm  | 233/4000                                 | 233/4000                                 | 403/2000                                 | 403/2000                                 | 403/2000                                 | 450/2000                                 |
| Fuel Type                         |         | Petrol                                   | Petrol                                   | Diesel                                   | Diesel                                   | Diesel                                   | Diesel                                   |
| Fuel Supply                       |         | Multipoint, Manifold Injection           | Multipoint, Manifold Injection           | Common Rail Direct Injection             | Common Rail Direct Injection             | Common Rail Direct Injection             | Common Rail Direct Injection             |
| Fuel Tank Capacity                | ℓ       | 80                                       | 80                                       | 80                                       | 80                                       | 80                                       | 80                                       |
| TRANSMISSION & DRIVE TRAIN        |         |                                          |                                          |                                          |                                          |                                          |                                          |
| Transmission                      |         | 6-Speed Manual                           | 6-Speed Manual                           | 6-Speed Manual                           | 6-Speed Manual                           | 6-Speed Manual                           | 6-Speed Manual                           |
| Driven Wheels                     |         | 2WD                                      | 2WD                                      | 2WD                                      | 2WD                                      | 4WD                                      | 4WD                                      |
| Rear Limited Slip-Differential    |         | -                                        | -                                        | -                                        | -                                        | Std                                      | Std                                      |
| SUSPENSION                        |         |                                          |                                          |                                          |                                          |                                          |                                          |
| Front Suspension                  |         | Independent Double-Wishbone + Stabiliser | Independent Double-Wishbone + Stabiliser | Independent Double-Wishbone + Stabiliser | Independent Double-Wishbone + Stabiliser | Independent Double-Wishbone + Stabiliser | Independent Double-Wishbone + Stabiliser |
| Rear Suspension                   |         | Leaf Spring                              | Leaf Spring                              | Leaf Spring                              | Leaf Spring                              | Leaf Spring                              | Leaf Spring                              |
| WEIGHTS & CAPACITY                |         |                                          |                                          |                                          |                                          |                                          |                                          |
| Gross Combination Mass (GCM)      | kg      | 6130                                     | 6130                                     | 6130                                     | 6130                                     | 6130                                     | 6130                                     |
| Gross Vehicle Mass (GVM)          | kg      | 2950                                     | 2950                                     | 2950                                     | 2950                                     | 3000                                     | 3000                                     |
| Tare Mass                         | kg      | 1714                                     | 1714                                     | 1714                                     | 1714                                     | 1803                                     | 1803                                     |
| Min Kerb Weight                   | kg      | 1685                                     | 1685                                     | 1801                                     | 1801                                     | 1885                                     | 1885                                     |
| Max Kerb Weight                   | kg      | 1706                                     | 1706                                     | 1822                                     | 1822                                     | 1906                                     | 1906                                     |
| Payload                           | kg      | 1111                                     | 1111                                     | 1182                                     | 1182                                     | 1152                                     | 1152                                     |
| Gross Axle Mass (Front - Laden)   | kg      | 1320                                     | 1320                                     | 1320                                     | 1320                                     | 1320                                     | 1320                                     |
| Gross Axle Mass (Rear - Laden)    | kg      | 1690                                     | 1690                                     | 1785                                     | 1785                                     | 1785                                     | 1785                                     |
| Maximum Towing Capacity Unbraked  | kg      | 750                                      | 750                                      | 750                                      | 750                                      | 750                                      | 750                                      |
| Maximum Towing Capacity Braked    | kg      | 1588                                     | 1588                                     | 3500                                     | 3500                                     | 3500                                     | 3500                                     |
| DIMENSIONS                        |         |                                          |                                          |                                          |                                          |                                          |                                          |
| Overall Length                    | mm      | 5235                                     | 5235                                     | 5235                                     | 5235                                     | 5235                                     | 5335                                     |
| Overall Width (Excluding Mirrors) | mm      | 1790                                     | 1790                                     | 1790                                     | 1790                                     | 1790                                     | 1790                                     |
| Overall Height                    | mm      | 1755                                     | 1755                                     | 1755                                     | 1755                                     | 1760                                     | 1760                                     |
| Wheelbase                         | mm      | 3150                                     | 3150                                     | 3150                                     | 3150                                     | 3150                                     | 3150                                     |
| Ground Clearance (Rear Axle)      | mm      | 214                                      | 214                                      | 214                                      | 214                                      | 214                                      | 214                                      |
| Front Track                       | mm      | 1550                                     | 1550                                     | 1550                                     | 1550                                     | 1550                                     | 1550                                     |
| Rear Track                        | mm      | 1550                                     | 1550                                     | 1550                                     | 1550                                     | 1550                                     | 1550                                     |
| Front Overhang                    | mm      | 885                                      | 885                                      | 885                                      | 885                                      | 885                                      | 885                                      |
| Rear Overhang                     | mm      | 1200                                     | 1200                                     | 1200                                     | 1200                                     | 1200                                     | 1200                                     |
| Turning Circle (Kerb to Kerb)     | m       | 6,0                                      | 6,0                                      | 6,0                                      | 6,0                                      | 6,0                                      | 6,0                                      |
| Approach Angle                    | Degrees | 30,7                                     | 30,7                                     | 30,7                                     | 30,7                                     | 31,8                                     | 31,8                                     |
| Departure Angle                   | Degrees | 26,6                                     | 26,6                                     | 26,6                                     | 26,6                                     | 26,3                                     | 26,3                                     |
| Ramp Break-Over Angle             | Degrees | 22,2                                     | 22,2                                     | 22,2                                     | 22,2                                     | 22,8                                     | 22,8                                     |
| Load Box Length - Floor           | mm      | 2353                                     | 2353                                     | 2353                                     | 2353                                     | 2353                                     | 2353                                     |
| Load Box Length - Top             | mm      | 2311                                     | 2311                                     | 2311                                     | 2311                                     | 2311                                     | 2311                                     |
| Load Box Width - Floor            | mm      | 1560                                     | 1560                                     | 1560                                     | 1560                                     | 1560                                     | 1560                                     |

Nissan Navara - 2 & 4 Wheel Drive

Specifications & Features

| MODEL - Single Cab                           |    | 2.5 XE 4X2 MT            | 2.5 XE Plus 4X2 MT      | 2.5D XE 4X2 MT           | 2.5D XE Plus 4X2 MT     | 2.5D XE 4X4 MT           | 2.5D XE Plus 4X4 MT     |
|----------------------------------------------|----|--------------------------|-------------------------|--------------------------|-------------------------|--------------------------|-------------------------|
| DIMENSIONS (Continued)                       |    |                          |                         |                          |                         |                          |                         |
| Load Box Width - Top                         | mm | 1552                     | 1552                    | 1552                     | 1552                    | 1552                     | 1552                    |
| Load Box Width - Between Wheel Arches        | mm | 1134                     | 1134                    | 1134                     | 1134                    | 1134                     | 1134                    |
| Load Box Width - Tailgate Opening            | mm | 1360                     | 1360                    | 1360                     | 1360                    | 1360                     | 1360                    |
| Load Box Height                              | mm | 472                      | 472                     | 472                      | 472                     | 472                      | 472                     |
| Wading Depth                                 | mm | 600                      | 600                     | 600                      | 600                     | 600                      | 600                     |
| WHEELS & TYRES                               |    |                          |                         |                          |                         |                          |                         |
| Wheel Size and Type                          |    | 16" Steel                | 16" Steel               | 16" Steel                | 16" Steel               | 16" Steel                | 16" Steel               |
| Tyre                                         |    | 205/R16 AT               | 205/R16 AT              | 205/R16 AT               | 205/R16 AT              | 205/R16 AT               | 205/R16 AT              |
| Spare Wheel                                  |    | Full Size Steel          | Full Size Steel         | Full Size Steel          | Full Size Steel         | Full Size Steel          | Full Size Steel         |
| Spare Wheel Lock                             |    | Option                   | Option                  | Option                   | Option                  | Option                   | Option                  |
| EXTERIOR                                     |    |                          |                         |                          |                         |                          |                         |
| Grill                                        |    | Black                    | Black                   | Black                    | Black                   | Black                    | Black                   |
| Front Bumper                                 |    | Black                    | Black                   | Black                    | Black                   | Black                    | Black                   |
| Side-Door Mirror Finish                      |    | Black                    | Black                   | Black                    | Black                   | Black                    | Black                   |
| Side-Door Mirrors                            |    | Manual Adjustment + Fold | Power Adjustment + Fold | Manual Adjustment + Fold | Power Adjustment + Fold | Manual Adjustment + Fold | Power Adjustment + Fold |
| External Door Handles                        |    | Black                    | Black                   | Black                    | Black                   | Black                    | Black                   |
| Front and Rear Mud Flaps                     |    | Std                      | Std                     | Std                      | Std                     | Std                      | Std                     |
| Front Towing Hook                            |    | Std                      | Std                     | Std                      | Std                     | Std                      | Std                     |
| Headlights                                   |    | Halogen                  | Halogen                 | Halogen                  | Halogen                 | Halogen                  | Halogen                 |
| Fog Lights                                   |    | -                        | -                       | -                        | -                       | -                        | Halogen                 |
| COMFORT & CONVENIENCE                        |    |                          |                         |                          |                         |                          |                         |
| Seating Capacity                             |    | 2                        | 2                       | 2                        | 2                       | 2                        | 2                       |
| Front Seat Type                              |    | Separate seat            | Separate seat           | Separate seat            | Separate seat           | Separate seat            | Separate seat           |
| Driver Seat Adjustment                       |    | 4-way Manual             | 6-way Manual            | 4-way Manual             | 6-way Manual            | 4-way Manual             | 6-way Manual            |
| Passenger Aeat Adjustment                    |    | 2-way Manual             | 4-way Manual            | 2-way Manual             | 4-way Manual            | 2-way Manual             | 4-way Manual            |
| Seat Upholstery                              |    | PVC                      | Fabric                  | PVC                      | Fabric                  | PVC                      | Fabric                  |
| Floor Material                               |    | Carpet                   | Carpet                  | Carpet                   | Carpet                  | Carpet                   | Carpet                  |
| Front Cup Holders                            |    | 2                        | 2                       | 2                        | 2                       | 2                        | 2                       |
| Front Door Storage Pockets and Bottle Holder |    | 2                        | 2                       | 2                        | 2                       | 2                        | 2                       |
| Air-Conditioning                             |    | 1                        | 2                       | 1                        | 2                       | 1                        | 2                       |
| Manual Dimming Rear View Mirror              |    | Std                      | Std                     | Std                      | Std                     | Std                      | Std                     |
| Power Window                                 |    | Std                      | Std                     | Std                      | Std                     | Std                      | Std                     |
| Rear Screen                                  |    | Fixed                    | Fixed                   | Fixed                    | Fixed                   | Fixed                    | Fixed                   |
| Auto Dimming Rear View Mirror                |    | Std                      | Std                     | Std                      | Std                     | Std                      | Std                     |
| Manual Dimming Rear View Mirror              |    | Std                      | Std                     | Std                      | Std                     | Std                      | Std                     |
| AUDIO & CONNECTIVITY                         |    |                          |                         |                          |                         |                          |                         |
| Without Audio Head Unit (With Pre-Wire)      |    | Std                      | Std                     | Std                      | Std                     | Std                      | Std                     |
| SAFETY & SECURITY                            |    |                          |                         |                          |                         |                          |                         |
| Driver and Front Passenger Airbags           |    | Std                      | Std                     | Std                      | Std                     | Std                      | Std                     |
| Side Airbags                                 |    | -                        | Std                     | -                        | Std                     | Std                      | Std                     |
| Curtain Airbags                              |    | -                        | Std                     | -                        | Std                     | -                        | Std                     |
| Driver Knee Airbag                           |    | -                        | Std                     | -                        | Std                     | -                        | Std                     |

Nissan Navara - 2 & 4 Wheel Drive

Specifications & Features

| MODEL - Single Cab                                                                  |  | 2.5 XE 4X2 MT         | 2.5 XE Plus 4X2 MT    | 2.5D XE 4X2 MT        | 2.5D XE Plus 4X2 MT   | 2.5D XE 4X4 MT        | 2.5D XE Plus 4X4 MT   |
|-------------------------------------------------------------------------------------|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| SAFETY & SECURITY (Continued)                                                       |  |                       |                       |                       |                       |                       |                       |
| Front Seat Belts 3-Point Elr with Pre-Tensioner, Load Limiter and Seatbelt Reminder |  | Std                   | Std                   | Std                   | Std                   | Std                   | Std                   |
| Isofix Child Seat Anchorage                                                         |  | -                     | -                     | -                     | -                     | -                     | -                     |
| Immobiliser                                                                         |  | Std                   | Std                   | Std                   | Std                   | Std                   | Std                   |
| Alarm                                                                               |  | -                     | -                     | -                     | -                     | -                     | -                     |
| Anti-Lock Braking System (ABS)                                                      |  | Std                   | Std                   | Std                   | Std                   | Std                   | Std                   |
| Electronic Brake Force Distribution (EBD)                                           |  | Std                   | Std                   | Std                   | Std                   | Std                   | Std                   |
| Brake Assist (BA)                                                                   |  | Std                   | Std                   | Std                   | Std                   | Std                   | Std                   |
| Vehicle Dynamic Control (VDC)                                                       |  | -                     | Std                   | -                     | Std                   | -                     | Std                   |
| Trailer Stability Assist (TSA)                                                      |  | -                     | Std                   | -                     | Std                   | -                     | Std                   |
| Hill Start Assist (HSA)                                                             |  | -                     | Std                   | -                     | Std                   | -                     | Std                   |
| Hill Descent Control (HDC)                                                          |  | -                     | -                     | -                     | -                     | -                     | Std                   |
| Front Brakes - Ventilated Discs                                                     |  | Std                   | Std                   | Std                   | Std                   | Std                   | Std                   |
| Rear Brakes - Drum                                                                  |  | Std                   | Std                   | Std                   | Std                   | Std                   | Std                   |
| Windscreen Wipers                                                                   |  | Variable Intermittent | Variable Intermittent | Variable Intermittent | Variable Intermittent | Variable Intermittent | Variable Intermittent |
| Central Locking                                                                     |  | Std                   | Std                   | Std                   | Std                   | Std                   | Std                   |

FEATURES AND SPECIFICATIONS ARE SUBJECT TO CHANGE DEPENDING ON MARKET AND GRADE. PLEASE CONSULT YOUR LOCAL NISSAN DEALERSHIP FOR MORE INFORMATION.

